

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,628	08/18/2003	Wei Li	50277-2250	4451
	90 04/18/2007 ERMO TRUONG & BI	EXAMINER		
2055 GATEWAY PLACE SUITE 550 SAN JOSE, CA 95110-1089			SAEED, USMAAN	
			ART UNIT	PAPER NUMBER
			2166	
	<u></u>			
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)		
	10/643,628	LI ET AL.		
Office Action Summary	Examiner	Art Unit		
	Usmaan Saeed	2166		
The MAILING DATE of this communical Period for Reply	ition appears on the cover sheet w	th the correspondence address		
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAI  - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this communi  - If NO period for reply is specified above, the maximum statut  - Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNION COMMUNION COMMUNION COMMUNION COMMUNION COMMUNICATION COMU	CATION.  eply be timely filed  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).		
Status				
<ul> <li>1) Responsive to communication(s) filed</li> <li>2a) This action is FINAL.</li> <li>3) Since this application is in condition for closed in accordance with the practice</li> </ul>	)⊠ This action is non-final. r allowance except for formal mat			
Disposition of Claims				
4) ⊠ Claim(s) <u>1-7,9-20 and 22-26</u> is/are per 4a) Of the above claim(s) is/are 5) □ Claim(s) is/are allowed.  6) ⊠ Claim(s) <u>1-7,9-20 and 22-26</u> is/are rejection is/are objected to.  8) □ Claim(s) are subject to restriction	withdrawn from consideration.			
Application Papers	•			
9) The specification is objected to by the 8 10) The drawing(s) filed on 18 August 2003 Applicant may not request that any objected Replacement drawing sheet(s) including the 11) The oath or declaration is objected to be	$\underline{3}$ is/are: a) $\square$ accepted or b) $\square$ ole on to the drawing(s) be held in abeyate correction is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	D-948) Paper No	Summary (PTO-413) s)/Mail Date nformal Patent Application 		

#### **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/19/2007 has been entered.

# Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-7, 9-20, and 22-26 are rejected under 35 U.S.C. 101 as being directed to non-statutory subject matter. The language of the claims raises a question as to whether the claims are directed merely to an environment or machine which would result in a practical application producing a concrete useful, and tangible result to form the basis of statutory subject matter under 35 U.S.C. 101.

Claims 1-7, 9-20, and 22-26 are rejected because they do not recite a practical

application by producing a physical transformation or producing a useful, concrete, and tangible results. To perform a physical transformation, the claimed invention must transform an article of physical object into a different state or thing. Transformation of data is not a physical transformation. A useful, concrete, and tangible results must be either specifically recited in the claim or flow inherently therefrom. To be useful the claimed invention must establish a specific, substantial, and credible utility. To be concrete the claimed invention must be able to produce reproducible results. To be tangible the claimed invention must produce a practical application or real world result.

To expedite a complete examination of the instant application the claims rejected under U.S.C. 101 (nonstatutory) above are further rejected as set forth below in anticipation of application amending these claims to place them within the four categories of invention.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2166

Claims 1-7, 9-20, and 22-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Agrawal et al.** (**Agrawal** hereinafter) (U.S. Patent No. 6,324,533) in view of **Roberto Javier Bayardo**. (**Bayardo** hereinafter) (U.S Patent No. 6,138,117).

With respect to claim 1, Agrawal teaches a method for performing a frequent itemset operation, the method comprising the steps of:

"within a database server, receiving a database statement that specifies frequency criteria and additional criteria and performing said frequent itemset operation as part of execution of the database statement to produce results, wherein the results include frequent itemsets that satisfy both said frequency criteria and said additional criteria, and wherein the results do not include frequent itemsets that satisfy said frequency criteria but do not satisfy said additional criteria" as the frequent (n+2)-itemsets are determined using cascaded subqueries by: a) selecting distinct first items in the candidate itemsets using a subquery (Agrawal Col 3, Lines 2-4). Using the results of the last subqueries to determine which of the (n+2)-itemsets are frequent. In generating rules from the union of the frequent itemsets, all items from the frequent itemsets are first put into a table F. A set of candidate rules is created from the table Fusing a table function. These candidate rules are joined with the table F, and filtered to remove those that do not meet a confidence criteria (Agrawal Col 3, Lines 9-16).

F consists of k+2 attributes (item.sub.1, . . . , item.sub.k, support, len), where k is the size of the largest frequent itemset and len is the length of the itemset (**Agrawal** Col

Art Unit: 2166

8, Lines 4-6). Sequence of operations can be implemented as a single SQL query for any k, as shown in FIG. 12. Therefore the query specifies both the frequency criteria and the additional criteria k, which is the size of an itemset.

"wherein said frequency criteria specifies at least one criterion that related to how frequently combination of items appear together" as to find all combinations of items whose support is greater than minimum support. Call those combinations frequency itemsets (Agrawal Col 5, Lines 20-23).

Agrawal teaches the elements of claim 1 as noted above but does not explicitly disclose, "wherein said additional criteria do not specify any criterion that related to how frequently combinations of items appear together."

However, Bayardo discloses, "wherein said additional criteria do not specify any criterion that relates to how frequently combinations of items appear together" as Max-Miner usually performs less database passes than this bound in practice when the longest frequent itemsets are more than 10 in length (Bayardo Col 9, Lines 57-60). Examiner interprets the length of 10 as additional criteria.

It is still another object of the present invention to quickly identify those patterns that are both frequent and maximal so that the set of maximal frequent patterns represents the set of all frequent patterns (**Bayardo** Col 3, Lines 32-35 and Lines 40-56).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of the cited references because

Bayardo's teachings would have allowed Agrawal to provide an efficient method for

Art Unit: 2166

extracting relatively long frequent patterns from a database of transaction records where each record includes several data items.

With respect to claim 2, Agrawal teaches "the method of claim 1, wherein the database statement is expressed in a particular database language, and wherein the particular database language is SQL" as a method for mining data relationships from the integrated mining system in the form of queries to SQL engines enhanced with object-relational extensions (SQL-OR), such as user-defined functions (UDFs) and table functions (Agrawal Col 2, Lines 33-36).

With respect to claim 3, Agrawal teaches "the method of claim 1, wherein the frequency criteria and the additional criteria are identified by a construct, and wherein the construct is a table function" as a method for mining data relationships from the integrated mining system in the form of queries to SQL engines enhanced with object-relational extensions (SQL-OR), such as user-defined functions (UDFs) and table functions (Agrawal Col 2, Lines 33-36). Examiner interpreted the table functions as construct.

With respect to claim 4, Agrawal teaches the method of claim 1 wherein:

"the database statement includes a first indication of a first input format" as the data table is first transformed into a vertical format by creating for each item a BLOB containing all tids that contain that item (Tid-list creation phase) and then count

Art Unit: 2166

the support of itemsets by merging together these tid-lists (support counting phase)
(Agrawal Col 12, Lines 43-47).

"the frequent itemset operation operates on input that conforms to said first input format" as a table function Gather is used for creating the Tid-lists. This is the same as the Gather function in GatherJoin except here, the tid-list is created for each frequent item. The data table T is scanned in the (item, tid) order and passed to the function Gather. The function collects the tids of all tuples of T with the same item in memory and outputs a (item, tid-list) tuple for items that meet the minimum support criterion. The tid-lists are represented as BLOBs and stored in a new TidTable with attributes (item, tid-list) (Agrawal Col 12, Lines 48-56).

"the method further comprises the steps of: parsing a second database statement to detect within the second database statement the construct that extends a database language" as a method for mining data in an integrated database and data-mining system. Start with step 30, a group-by query is performed on the data transactions to generate a set of frequent 1-itemsets. One-itemsets are those having exactly one item each, while an itemset is frequent if the number of transactions containing it is at least at a specified number. At step 31, frequent 2-itemsets are determined from the frequent 1-itemsets and the transaction table. A candidate set of (n+2)-itemsets is next generated in step 32 from the frequent (n+1)-itemsets, where n=1. At step 33, frequent (n+2)-itemsets are generated from the candidate set of (n+2)-itemsets and the transaction table using a query (Agrawal Col 6, Lines 43-55). A first query is being performed to generate 1-itemsets, and (n+2) itemsets are being

Art Unit: 2166

generated using another query. "wherein the second database statement includes a second indication of a second input format that is different from said first input format" as a horizontal format where each tid is followed by a collection of all its items (Agrawal Col 10, Lines 37-38).

"in response to detection of said construct in said second database statement, the database server performing a second frequent itemset operation as part of execution of the second database statement" as the mining operation is expressed in some extension of SQL or a graphical language, which are input to preprocessor 21. This preprocessor generates appropriate SQL translations for the mining operation. For example, these SQL translations may be those that are executed by a SQL-92 relational engine 22. It is assumed that blobs, user-defined functions, and table functions are available in the object-relational engine. The mining results might be output to a depository 24 (Agrawal Col 6, Lines 26-42). "wherein the second frequent itemset operation operates on input that conforms to said second format" as Kway Join approach where the k-way self join of T is replaced with the table functions Gather and Comb-K. It is possible to merge these functions together as a single table function GatherComb-K. The Gather function is not required when the data is already in a horizontal format where each tid is followed by a collection of all its items (Agrawal Col 10, Lines 33-38).

With respect to claim 5, Agrawal teaches "the method of claim 4 wherein the first indication is identification of a first table function" as a table function Gather is

Art Unit: 2166

used for creating the Tid-lists. This is the same as the Gather function in GatherJoin except here, the tid-list is created for each frequent item. The data table T is scanned in the (item, tid) order and passed to the function Gather. The function collects the tids of all tuples of T with the same item in memory and outputs a (item, tid-list) tuple for items that meet the minimum support criterion (Agrawal Col 12, Lines 48-56). "and the second indication is identification of a second table function" as the output of Gather is passed to another table function Comb-K which returns all k-item combinations formed out of the items of a transaction (Agrawal Col 10, Lines 24-27).

With respect to claim 6, Agrawal teaches "the method of claim 1 wherein the frequent itemset operation uses, as input, a row source that is generated during execution of other operations specified in said database statement" as output is a collection of rules of varying length. The maximum length of these rules is much smaller than the number of items and is rarely more than a dozen. Therefore, a rule is represented as a tuple in a fixed-width table where the extra column values are set to NULL to accommodate rules involving smaller itemsets. The schema of a rule is (item.sub.1, ..., item.sub.k, len, rulem, confidence, support) where k is the size of the largest frequent itemset (Agrawal Col 5, Lines 65-67 & Col 6, Lines 1-6). A table function, GenRules, is used to generate all possible rules from a frequent itemset. The input to the function is a frequent itemset. For each itemset, it outputs tuples corresponding to rules with all non-empty proper subsets of the itemset in the consequent. The table function outputs tuples with k+3 attributes, T item.sub.1, ...,

Art Unit: 2166

T\_item.sub.k, T\_support, T\_ten, T\_rulem (**Agrawal** Col 8, Lines 7-13). From first operation a row/tuple is being obtained, which is then being used as an input.

With respect to claim 7, Agrawal teaches "the method of claim 1 wherein the frequent itemset operation produces, as output, a row source that is used as input for other operations specified in said database statement" as output is a collection of rules of varying length. The maximum length of these rules is much smaller than the number of items and is rarely more than a dozen. Therefore, a rule is represented as a tuple in a fixed-width table where the extra column values are set to NULL to accommodate rules involving smaller itemsets. The schema of a rule is (item.sub.1, . . . , item.sub.k, len, rulem, confidence, support) where k is the size of the largest frequent itemset (Agrawal Col 5, Lines 65-67 & Col 6, Lines 1-6). A table function, GenRules, is used to generate all possible rules from a frequent itemset. The input to the function is a frequent itemset. For each itemset, it outputs tuples corresponding to rules with all non-empty proper subsets of the itemset in the consequent. The table function outputs tuples with k+3 attributes, T item.sub.1, . . . , T item.sub.k, T support, T ten, T rulem (Agrawal Col 8, Lines 7-13). From first operation a row/tuple is being obtained as an output, which is then being used as an input.

With respect to claim 9, Agrawal teaches "the method of claim 1 wherein: the additional criteria specify a minimum length; and the step of performing the

Art Unit: 2166

frequent itemset operation includes performing a frequent itemset operation whose results exclude all item sets that include fewer items than the minimum length specified by the additional criteria" as combinations of items whose support is greater than minimum support. Call those combinations frequent itemsets (Agrawal Col 5, Lines 21-23). The function collects the tids of all tuples of T with the same item in memory and outputs a (item, tid-list) tuple for items that meet the minimum support criterion (Agrawal Col 12, Lines 52-55).

Agrawal further teaches the function collects the tids of all tuples of T with the same item in memory and outputs a (item, tid-list) tuple for items that meet the minimum support criterion. The tid-lists are represented as BLOBs and stored in a new TidTable with attributes (item, tid-list) (Agrawal Col 11, Lines 49-56).

Agrawal teaches the elements of claim 9 as noted above but does not explicitly teaches "a minimum length."

However, **Bayardo** teaches "a minimum length" as Max-Miner usually performs less database passes than this bound in practice when the longest frequent itemsets are more than 10 in length (**Bayardo** Col 9, Lines 57-60). Examiner interprets the length of 10 as the minimum length.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of the cited references because

Bayardo's teachings would have allowed Agrawal to provide an efficient method for extracting relatively long frequent patterns from a database of transaction records where each record includes several data items.

Art Unit: 2166

With respect to claim 10, Agrawal teaches "the method of claim 1 wherein: the additional criteria specify a maximum length; and the step of performing the frequent itemset operation includes performing a frequent itemset operation whose results exclude all item sets that include more items than the maximum length specified by the additional criteria" as F consists of k+2 attributes (item.sub.1, item.sub.k, support, len), where k is the size of the largest frequent itemset and len is the length of the itemset (Agrawal Col 8, Lines 4-6).

Agrawal further teaches in particular, it is not practical to assume that all items in a transaction appear as different columns of a single tuple because often the number of items per transaction can be more than the maximum number of columns that the database supports. For instance, for one of our real-life datasets the maximum number of items per transaction is 872 and for another it is 700 (**Agrawal** Col 5, Lines 56-60).

Agrawal teaches the elements of claim 10 as noted above but does not explicitly teaches "a maximum length."

However, **Bayardo** discloses "a maximum length" as the most part, frequent-pattern mining methods have been developed to operate on databases in which the longest frequent patterns are relatively short, e.g., those with less than 10 items (**Bayardo** Col 1, Lines 22-26). Examiner interprets the length of 10 as the maximum length.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of the cited references because

Art Unit: 2166

Bayardo's teachings would have allowed Agrawal to provide an efficient method for extracting relatively long frequent patterns from a database of transaction records where each record includes several data items.

With respect to claim 11, Agrawal teaches "the method of claim 1 wherein: the additional criteria specify a set of one or more included items; and the step of performing the frequent itemset operation includes performing a frequent itemset operation whose results exclude all itemsets that do not include all items in said set of one or more included items" as the frequent (n+2)-itemsets are determined using cascaded subqueries by: a) selecting distinct first items in the candidate itemsets using a subquery. In generating rules from the union of the frequent itemsets, all items from the frequent itemsets are first put into a table F. These candidate rules are joined with the table F, and filtered to remove those that do not meet a confidence criteria (Agrawal Col 3, Lines 2-16).

Agrawal teaches the elements of claim 11 as noted above but does not explicitly teaches "one or more included items."

However, **Bayardo** discloses "one or more included items" as a method for identifying patterns from a database of records including the steps of: (1) generating an initial set C of candidates where each candidate c includes two distinct sets of items: c.head and c.tail (**Bayardo** Col 3, Lines 42-45).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of the cited references because

Art Unit: 2166

Bayardo's teachings would have allowed Agrawal to provide an efficient method for extracting relatively long frequent patterns from a database of transaction records where each record includes several data items.

With respect to claim 12, Agrawal teaches "the method of claim 1 wherein the step of performing the frequent itemset operation includes performing a frequent itemset operation whose results identify frequent itemsets, and for each of the frequent itemsets, a count of how many item groups included the frequent itemset" as a set of frequent 1-itemsets is generated using a group-by query on data transactions. From these frequent 1-itemsets and the transactions, frequent 2-itemsets are determined. A candidate set of (n+2)-itemsets are generated from the frequent 2-itemsets, where n=1. Frequent (n+2)-itemsets are determined from candidate set and the transaction table using a query operation (Agrawal Abstract).

With respect to claim 13, Agrawal teaches "the method of claim 1 wherein the step of performing the frequent itemset operation includes performing a frequent itemset operation whose results identify frequent itemsets, and for each of the frequent itemsets, a count of how items are in the frequent itemset" as a set of frequent 1-itemsets is generated using a group-by query on data transactions (Agrawal Abstract). The support counting phase, conceptually for each itemset in C.sub.k the tid-lists of all k items are collected and the number of tids in the intersection of these k lists is counted using a user defined function (UDF) (Agrawal Col 12, Lines 56-59).

Group of claims 14-20 and 22-26 is essentially the same as group of claims 1-7, 9-20 except they set forth the claimed invention as a computer readable media carrying instructions, and are rejected for the same reasons as applied hereinabove.

## Response to Arguments

4. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

See above rejections for response to the arguments.

### Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure is listed on 892 form.

Examiner's Note: Examiner has cited particular figures, columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the

Application/Control Number: 10/643,628 Page 16

Art Unit: 2166

references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

#### **Contact Information**

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Usmaan Saeed whose telephone number is (571)272-4046. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on (571)272-3978. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Usmaan Saeed Patent Examiner Art Unit: 2166

Page 17

Leslie Wong VVPPrimary Examiner

US April 09, 2007

HOSAIN ALAM SUPERVISORY PATENT EXAMINER